

THE 3D DIMENSIONAL ANALYSIS AND QUALITY CONTROL SOLUTION

TO GAIN CONTROL OF YOUR PRODUCT ENGINEERING AND MANUFACTURING PROCESS

innovmetric

PolyWorks|Inspector[™] is a universal 3D dimensional analysis and quality control software solution to control tool or part dimensions, diagnose and prevent manufacturing and assembly issues, guide assembly building through real-time measurements, and oversee the quality of assembled products by using portable metrology devices and CNC CMMs.

COMPLETE **DIMENSIONAL ANALYSIS AND** QUALITY CONTROL TOOLBOX

At the heart of PolyWorks Inspector lies a powerful inspection engine with parametric data handling, mathematical algorithms certified by PTB, and extensive visual and audio feedback capabilities. It allows users to extract meaningful information from their measured 3D data, automate the inspection process when more than one piece is measured, and structure the presentation of measurement results to facilitate enterprisewide digital collaboration.



Always get the alignment right

Surface and cross-section best-fit

Best-fit measured surfaces and cross-sections to their nominal definition, with the option of constraining in rotation, translation, or within a tolerance zone.

Multiple device position alignment

Construct your alignment from features, datum targets, surface points, or edge points, and use weights and axial constraints to optimize the results.

Measurement

object best-fit

Align your 3D measurement device while compensating for temperature changes, and use bundle adjustment to maximize the global accuracy.

Benefit from a smart GD&T engine based on the latest ASME and ISO standards, with advanced DRF, material condition, datum modifier, and tolerance zone capabilities

Extract measured dimensions from point clouds, polygonal

models, or probed points, and nominal dimensions from a

Deviation analysis using color maps

Measure all the

Universal data handling

CAD model or a measured part.

Smart GD&T

 $\Rightarrow \bowtie \ge$ required dimensions

Obtain surface, boundary, cross-sectional, or thickness measured-to-nominal deviations, and analyze them through a color map display.

Profile and Flush & Gap gauging

Evaluate advanced dimensions on fillets, design feature lines, and sheet metal part assemblies, such as radius, angle, bending, sharpness, flush, and gap.

Feature-based dimensioning

Measure a feature's diameter, position, or orientation, or distances and angles between two features, in 2D or in 3D, and configure the dimensions' display intuitively.

Airfoil gauging

Extract advanced features on fan, compressor, and turbine blades to control and analyze dimensions, such as edge radius, thickness, length, width, angle, and area.



Multipiece data management

Measure multiple pieces using different 3D measurement devices, and store them in a single project folder using an optimal format that minimizes disk space usage.

Play Inspection tool

Use the powerful Play Inspection and Sequence Editor tools to automate measurement workflows by ordering and triggering operations.

Macro scripting

Add macro scripts to your measurement workflows to apply proprietary techniques, provide special feedback, or interconnect to other systems.



Review inspection vesults efficiently

Control views

Organize projects containing hundreds of dimensional and GD&T controls into small and logical groups of controls, with individual controls tied to specific alignments and coordinate systems.



First-article inspection

Access a global list of controls sorted by characteristic index, and display critical results in 3D with the preferred point of view for easier dimensional analysis and reporting.

Statistical Process Control (SPC)

Assess the repeatability and predictability of your manufacturing processes with multipiece statistics automatically calculated for object dimensions and surface deviations.



HIGH-PRODUCTIVITY CNC CMM SOLUTION

PolyWorks Inspector has reinvented the way inspection projects are set up and executed on CNC CMMs, within a flexible, user-friendly, and efficient CNC CMM operational paradigm, similar to the one we offer for portable metrology devices.



The most powerful online platform ever designed





CNC CMM and its accessories

Avoid costly damages by detecting, in real time, potential tool collisions with parts or fixtures prior to launching a CNC measurement operation online.

MARKET-LEADING **PORTABLE** METROLOGY PLATFORM

Renowned for the power and stability of its direct hardware interfaces, PolyWorks Inspector offers an extensive set of guidance technologies that the world's largest manufacturing OEMs trust to implement efficient, precise, and repeatable measurement processes for portable metrology devices.

Plug-and-play interfaces for all your portable metrology needs

Maximize the productivity of your scanning arms

Tens of thousands of portable arm operators worldwide enjoy the reliability and efficiency of our scanning and probing workflows every day.

Leverage our disruptive laser tracker innovations

We provide innovative laser-tracker-based scanning technologies that greatly accelerate the analysis and dimensional control of your large parts and tools.

Scan large structures rapidly using spherical digitizing

Minimize rework time when assembling large aerospace structures by scanning them using a spherical grid digitizer and simulating the assembly process beforehand.

Tailor measurement methods to your processes

Integrate additional measurement devices or in-house proprietary measurement techniques by creating and embedding macro scripts within your measurement objects.

Guidance technologies for repeatable 3D measurement processes

00

Generate high-quality surface scans

Produce great scanning results under all circumstances thanks to our unique real-time quality meshing technology that computes and displays quality metrics in real time.

Ensure sufficient scanned data for reliable feature extraction

Get real-time feedback on scanned surface, curve, and circumference coverage with guidance graphics that indicate where an operator should capture additional scans.

Implement repeatable probing workflows

Use images, text, 3D graphics, and tolerances to deploy guided probing inspection projects that improve operator efficiency and ensure measurement repeatability on the shop floor.

Guide assembly building with real-time measurements

Accurately track part location during assembly using digital readouts, simultaneously displaying real-time measured reflector positions from multiple laser trackers.





Protect your

sequence for any machine in your park

Build your measurement sequence once for a specific CNC CMM configuration, then use our conversion tool to

automatically adapt it to any

CNC CMM brand or type.

Configure a CNC CMM



The most user-friendly offline sequencing workflow on the market



Reduce the complexity of your CMM programming tasks

We deliver shorter and easy-to-understand CNC CMM sequences, as our nominal features, dimensions, and reports are created and managed outside of the sequence editor.

Accelerate the sequencing process while staying in control

Select objects to be measured and let the sequence editor automatically find the proper tool orientations, the optimal measurement order, and collision-free measurement paths.

Fix sequencing mistakes intuitively

Our intelligent sequence editor provides immediate feedback when illogical or incorrect operations are detected, and lets you repair detected mistakes in a single click.

Avoid potential collisions automatically

We offer powerful collision analysis and avoidance technologies that detect potential tool collisions in real time and automatically modify the toolpaths to prevent them.



Add measurement objects to a sequence effortlessly

To perform additional measurements, just create and select new measurement objects and let the sequence editor optimally insert them within your CNC CMM sequence.



Complement your CNC CMM projects with portable metrology data

Use a portable laser scanner to measure the fixtures for collision analysis purposes, or a scanning arm to measure surfaces and features that can't be reached by the CMM.

• PACKAGES

	PREMIUM	STANDARD	PROBING++	PROBING	GAUGING
Single-point measuring device for portable metrology and manual CMMs		•		•	
Single-point measuring device for CNC CMMs	•		•		
Point cloud digitizer for portable metrology	•	•			
Point cloud digitizer for CNC CMMs	•				
Measurement collection for digital gauges	•	•	•	•	•
Manual measurement data entry and visual checks	•	•	•	•	•
Real-time quality meshing and offline point cloud meshing	•	•			
PolyWorks Modeler™ Light module	•				
PolyWorks AR™ plug-in	•				
IGES/STEP neutral CAD file translator	•	•	•	•	•
Part alignment toolset	•	•	•	•	•
Dimensional control toolset	•	•	•	•	•
Smart GD&T toolset	•	•	•	•	•
Reporting toolset	•	•	•	•	•
Simulation mode for offline project setup	•	•	•	•	•
Repeatable multipiece measurement workflows	•	•	•	•	•
Statistical Process Control toolset (SPC)	•	•	•	•	•
Native CAD file translators	Option	Option	Option	Option	
Airfoil gauges	Option	Option	Option	Option	
One-year support/maintenance	•	•	•	•	•
Two complimentary seats to attend a Basic classroom training	•	•	•	•	

● TECHNICAL SPECIFICATIONS

Computer Requirements

	er Requiremen	ts*	
CPU: Dual-core CPU			
		d, professional OpenGL nd drivers) equipped	
with 1 GB of memor	у	.1, or 7 Professional Edition	
nput device: Two-b			
hese requirements are ade evices and your CAD mode		ng to use single-point probing nan 50 MB.	
Single-Point Mea	suring Device	Plugins	
-		Mitutoyo, CimCore, Kreon,	
RPS Metrology, To	melleri-SpaceArm	s, TTS Vectoron	I
 Handheld, optica Geodetic, Keyence 		es: Aicon, Creaform, . NDI. Zeiss	
Laser trackers: A	Pl, Faro, Leica		•
• Manual CMMs: +	+, Deva, MZ1060, I	Renishaw, Samsoft, Wenzel	•
Point Cloud Digi	tizing Device Pl	ug-ins	
Creaform (VXscan))	• KREON (Scanner)	
Faro (3D Imager, L		Laser Design (Sur	
 Hexagon (PC-DMIS Romer Absolute Ar 		 Leica (Absolute S ATS Laser Tracker 	
• I++ (Hexagon, Zeis		Mitutoyo (Scanne	er)
• Konica-Minolta (RA	ANGE7)	• NDI (ScanTRAK)	
Point Cloud File	Formats		
		eshes, line scans, spherical g	grids, a
38 formats describi	ng planar grids/m	eshes, line scans, spherical g	grids, a
38 formats describin	ng planar grids/mo		
38 formats describin	ng planar grids/mo	eshes, line scans, spherical g o (Pro/E) Inventor So	
38 formats describin	ng planar grids/mo		
38 formats describin CAD File Format: CATIA V6/V5/V4 Languages Chinese	ng planar grids/mo s NX (UG) Crec Czech	o (Pro/E) Inventor So German Jap	olidWo anese
38 formats describin CAD File Format: CATIA V6/V5/V4 Languages Chinese (Simplified and	ng planar grids/mo s NX (UG) Crec Czech English	9 (Pro/E) Inventor So German Jap Hungarian Ko	olidWo anese rean
38 formats describin CAD File Format: CATIA V6/V5/V4 Languages Chinese	ng planar grids/mo s NX (UG) Crec Czech	9 (Pro/E) Inventor So German Jap Hungarian Ko	olidWo anese
38 formats describin CAD File Format: CATIA V6/V5/V4 Languages Chinese (Simplified and	ng planar grids/mo s NX (UG) Crec Czech English	9 (Pro/E) Inventor So German Jap Hungarian Ko	anese rean
38 formats describin CAD File Format: CATIA V6/V5/V4 Languages Chinese (Simplified and	ng planar grids/mo s NX (UG) Crec Czech English	9 (Pro/E) Inventor So German Jap Hungarian Ko	anese rean
38 formats describin CAD File Format: CATIA V6/V5/V4 Languages Chinese (Simplified and	ng planar grids/mo s NX (UG) Crec Czech English	9 (Pro/E) Inventor So German Jap Hungarian Ko	anese rean
38 formats describin CAD File Format: CATIA V6/V5/V4 Languages Chinese (Simplified and	ng planar grids/mo s NX (UG) Crec Czech English	9 (Pro/E) Inventor So German Jap Hungarian Ko	olidWo anese rean
38 formats describin CAD File Format: CATIA V6/V5/V4 Languages Chinese (Simplified and	ng planar grids/mo s NX (UG) Crec Czech English	9 (Pro/E) Inventor So German Jap Hungarian Ko	anese

Recommended Computer Requirements**

- CPU: Quad-core CPU RAM: 32 GB

- Graphics card: NVIDIA Quadro series graphics card equipped with 2 GB of memory (NVIDIA-certified cards and drivers)
 Operating system: 64-bit Windows 10, 8.1, or 7 Professional Edition
 Input device: Two-button mouse with wheel
- **This configuration covers a broad range of applications by offering the performance required when importing larger CAD models or laser scanning large parts with high resolution. If you have doubts about the best system configuration for your type of application, contact our technical support team.
- CNC CMM controllers, through direct drivers: Brown & Sharpe, Coord3, DEA, Leitz, LK, Mitutoyo, Pantec, Sb-Elektronik, Wenzel
- CNC CMM controllers, through Zeiss CMM-OS: Zeiss
- CNC CMM controllers, through I++: All brands
- Theodolites: Leica TDRA6000
- Scanner) er, T-Scan,
- Nikon (Laser Radar, Scanner)
- Perceptron (ScanWorks)
- Surphaser
- TTS Vectoron (Scanner)
- Zeiss (L-Scan, Probe Scanner, T-Scan)

and unorganized point clouds.

orks | ACIS | IGES | JT | Parasolid | STEP | VDA-FS

Portuguese Russian Spanish

UNIVERSAL SOFTWARE PLATFORM

With just one software to master, dramatically reduce your operational costs by increasing measurement specialist competency, eliminating metrology silos, boosting employee mobility, and improving overall teamwork efficiency. Perform all inspection tasks using a universal 3D metrology workflow



Deploy universal inspection projects playable on any 3D measurement device



Corporate Headquarters:

InnovMetric Software Inc. 1-418-688-2061 info@innovmetric.com © 2020-2021 InnovMetric Software Inc. All rights reserved. PolyWorks® is a registered trademark of InnovMetric Software Inc. InnovMetric, PolyWorks | Inspector, PolyWorks | Modeler, PolyWorks | Falisman, PolyWorks | Reviewe INAlign, IMMerge, PolyWorks | DataLoop, PolyWorks | Mi-Loop, PolyWorks | Rate, PolyWorks | Reviewe Interconnecting Hardware, Software Platform', "The Smart 3D Metrology Digital Ecosystem", and "Interconnecting Hardware, Software, and People" are trademarks of InnovMetric Software Inc. SmartGD&T is a trademark of Multi Metrics Inc. All other trademarks are the property of their respective owners.



Thailand Joint Venture Office:



Interface with all 3D

measurement devices thanks to a universal digitizing hub

PolyWork Software (Thailand) Co. Ltd

994 Luangphaeng Road, Tapyaow, Ladkrabang, Bangkok, 10520 Thailand Phone: +(66) 02-3647759 info@polyworksthailand.com | www.polyworksthailand.com